

Andhra Christian College, Guntur

Affiliated to Acharya Nagarjuna University
Sambasivapet main road, Guntur -522001, A. P. India
E mail: accollegeguntur@ymail.com website: www.accollegeguntur.com

Criterion: I

Metric: 1.3.1



Criterion –I Curricular Aspects

1.3 Curriculum Enrichment

1.3.1 Institution integrates crosscutting issues relevant to Professional Ethics, Gender, Human Values, Environment and Sustainability in transacting the Curriculum

Certificates of Quality Audits on Environment and Sustainability

"Ye shall know the truth and the truth shall set you free".... St. John 8:32

Andhra Christian College, Guntur

(DAY, EVENING & P.G.)
Accredited with 'A' Grade by NAAC

Dr. K. Moses
M.Sc., M.Ed., Ph.D

PRINCIPAL



GUNTUR - 522 001 Andhra Pradesh accollegeguntur@ymail.com Cell : 9848183194

Office: 0863-2322046



ENERGY AUDIT OF ANDHRA CHRISTIAN COLLEGE, GUNTUR

Date: 11-01-2023

1. INTRODUCTION

The purpose of this energy audit is to quantify electrical energy consumption and recommend where savings are possible. It is carried out by a 'walk through audit' that involves examining every item that consumes electric energy, estimating power ratings, operating hours and preparing electric energy budget. Energy wastage and inefficiencies in use of electrical and electronic items are identified as well those requiring maintenance or replacements are identified. Action plan for an energy management strategy will be designed following the audit.

2. AIM

Conducting Energy Audit and to evolve energy conservation measures in Andhra Christian College, Guntur, Guntur district.

3. OBJECTIVES

 To assess the current pattern of electrical energy consumption on the college campus.

- To know energy losses.
- Suggesting and implementing energy saving methods.

4. METHODOLOGY*

The energy audit was conducted through a walk-through survey of the campus of Andhra Christian College, Guntur, Guntur district. College areas are allotted to four groups of two members each.

4.1. SITE SURVEY

Inevery room and outside, members physically visited the rooms and estimated the number and type of lights, i.e., incandescent, fluorescent, CFL and LED, and the lights power rating i.e., number of watts and hours of daily use are estimated. The same procedure is carried out for other electrical items computers, Printer and LCDs. Energy meter readings of the college were taken for this purpose.

CALCULATION OF AVERAGE ELECTRICAL ENERGY CONSUMPTION PER
DAY

Location (Room No./ Varandah / Open space / Main Gate	Descriptio n of electrical equipmen t	Quantit y	Wattage of the each equipme nt (in Watts)	Averag e No. of hours used per day (in hours)	Electrical energy consumpti on per day (kWh)
Duin ain al'a	LED lights	11	20	7	1.54
Principal's Office	Air Condition er	1	1500	7	10.5

	Ceiling Fans	4	75	7	2.1
	LED Monitor	1	60	7	0.42
	Printer	1	250	2	0.5
	Fridge	1	167	5	0.835
	Stand Fan	1	75	0.1	0.0075
Manager's	LED lights	4	20	5	0.4
Office	Ceiling Fan	2	75	5	0.75
	Tube Lights	3	40	7	0.84
	LED lights	5	20	7	0.7
Main Office	Desktop computer s	3	150	7	3.15
	Printers	2	250	2	· 1
	Xerox machine	1	250	2	0.5
	Ceiling Fans	4	75	5	1.5
Men's staff room	Tube lights	7	40	5	1.4
	LED light	3	20	5	0.3
Ladies	Ceiling Fans	3	75	5	1.125
waiting room	LED lights	7	20	5	0.7

	Ceiling fan	1	75	2	0.15
IQAC Room	Tube Lights	2	40	2	0.16
IQAC ROOM	Desktop Monitor	1	150	1	0.15
	LED Lights	8	20	5	0.8
	Ceiling Fans	4	75	3	0.9
CRESTE Room	Air Condition er	2	1500	3	9
	Desktop Monitor	1	150	5	0.75
	Printer	1	250	1	0.25
D N 1	LED lights	4	20	5	0.4
Room No 1	Ceiling Fans	2	75	5	0.75
	LED lights	3	20	5	0.3
Room No 2	Tube lights	3	40	1	0.12
	Ceiling fans	4	75	3	0.9
	Ceiling Fans	6	75	2	0.9
Room No 3 (Virtual Lab)	LED Lights	17	20	1	0.34
	LCD projectors	2	100	1	0.2

	LCD projectors	3	100	1	0.3
	LED Lights	17	20	1	0.34
Room No 4	Ceiling Fans	17 20 1 6 75 1 er 30 150 2	1	0.45	
(Digital Lab)	Desktop computer s	30	150	2	9
	Television	1	40	0	0
	Ceiling Fans	2	75	1	0.15
Room No 5	Tube Light	1	40	1	0.04
	LED Lights	3	20	3	0.18
Room No 6	Ceiling Fans	2	75	1	0.15
Room No o	LED Lights	3	75 1 150 2 40 0 75 1 40 1 20 3 75 1 20 3 75 1 20 3 40 1 1500 0.1 20 0.2	3	0.18
	Ceiling Fans	2	75	1	0.15
Room No 7	LED Lights	1	20	3	0.06
	Tube Lights	2	40	1	0.08
	Air Condition er	1	1500	0.1	0.15
Room No 8	CFL Lights	7	20	0.2	0.028
	Ceiling Fans	6	17 20 6 75 30 150 1 40 2 75 1 40 3 20 2 75 3 20 2 75 1 20 2 40 1 1500 7 20	0.5	0.225

	Desktop computer s	10	150	1	1.5
	Stand Fan	1	75	0.2	0.015
	LCD Projector	1	100	0.2	0.02
	Ceiling Fans	2	75	2	0.3
Room No 9	Tube Lights	3	40	2	0.24
	LED Lights	1	20	3	0.06
	Ceiling Fans	2	75	2	0.3
Room No 10	Tube Lights	1	40	2	0.08
	LED Lights	3	20	3	0.18
	Ceiling Fans	2	75	2	0.3
Room No 11	Tube Lights	1	40	2	0.08
	LED Lights	3	20	3	0.18
Doom No 10	Ceiling Fans	2	75	2	0.3
Room No 12	LED Lights	5	20	3	0.3
Corresponde nt Room	Air Condition er	1	1500	0.2	0.3
III KOOIII	LED Lights	4	20	0.1	0.098

	Focus Lights	7	500	0.1	0.35
Assembly Hall	LED Lights	16	20	1	0.32
Han	Ceiling Fans	19	75	0.5	0.7125
	Bulbs	6	40	2	0.48
Library	LED Lights	18	20	5	1.8
Library	Tube Lights	28	40	2	2.24
Librom	Ceiling Fans	20	75	5	7.5
Library	Stand Fans	2	75	0.5	0.075
Room No 40	Ceiling Fan	2	75	2	0.3
ROOM NO 40	Tube Light	2	40	0.5 2 5 0.5 2 2 2 2 2 2 2 2 2 5	0.16
Room No 41	LED Lights	2	20	2	0.08
Room No 41	Ceiling Fan	1	75	2	0.15
Poom No 40	Tube Light	2	40	2	0.16
Room No 42	Ceiling Fans	2	75	2	0.3
Room No 43	Tube Light	2	40	2	0.16
KUUIII 110 43	Ceiling Fans	2	75	1 0.5 2 5 0.5 2 2 2 2 2 2 2 2 2	0.3
Room No 46	Tube Light	1	40	5	0.2
KOOIII NO 40	Ceiling Fans	2	75	1 0.5 2 5 0.5 2 2 2 2 2 2 2 2 2 5	0.75

	Tube Light	3	40	5	0.6
Room No 47	Ceiling Fans	2	75	5	0.75
Evening college corridor	Tube Light	7	40	2	0.56
Room No 48	Ceiling Fans	3	75	3	0.675
Room No 48	LED Lights	4	20	3	0.24
Room No 49	Ceiling Fan	. 3	75	3	0.675
Room No 49	LED Light	1	20	3	0.06
Room No 50	Ceiling Fan	2	75	3	0.45
Room No 30	LED Light	1	20	3	0.06
Room No 51	Ceiling Fan	1	75	3	0.225
Room No 31	LED Light	1	20	3	0.06
Doom No 50	Ceiling Fan	1	75	3	0.225
Room No 52	LED Light	1	20	3	0.06
Doom No 52	Ceiling Fan	2	75	3	0.45
Room No 53	LED Light	3	20	3	0.18
Room No 56	Ceiling Fan	2	75	3	0.45

1			E.		
	LED Light	3	20	3	0.18
	Ceiling Fan	2	75	3	0.45
Room No 59	LED Light	4	20	3	0.24
	LCD Projector	1	100	2	0.2
	Ceiling Fan	3	75	5	1.125
Room No 83	LED Light	4	20	5	0.4
	LCD Projector	1	100	2	0.2
	Tube Lights	3	40	2	0.24
Rotany dent	LED Lights	2	20	2	0.08
Botany dept Museum	Stand fans	4	75	2	0.6
	LCD projector	1	100	2	0.2
	Tube Lights	2	40	3	0.24
Botany	LED Lights	1	20	5	0.1
Men's Staffroom	Ceiling Fans	2	75	5	0.75
	Stand Fans	2	75	0.5	0.075
	Fridge	1	167	5	0.835

ı					
	Desktop computer	1	150	3	0.45
	LED Lights	1	20	3	0.06
Potony	Tube Lights	2	40	3	0.24
Botany Ladies Staffroom	Ceiling Fans	2	75	5	0.75
	Desktop computer	1	150	2	0.3
Botany Head Room	Tube light	2	40	2	0.16
Botany Head Room	Ceiling Fan	1	75	2	0.15
Botany –	Air Condition er	2	1500	1	3
Microbiology Lab	Tube Lights	5	20	2	0.2
	Ceiling Fan	3	75	2	0.45
	LED Lights	6	20	2	0.24
Botany – Inter Lab	Ceiling Fans	6	75	2	0.9
	Tube Lights	12	40	2	0.96
Botany – Degree Lab	LED Lights	8	20	2	0.32

	Ceiling Fans	7	75	2	1.05
	LCD projector	1	100	0.5	0.05
	Tube lights	20	40	2	1.6
Botany –	Tube lights	3	40	1	0.12
Library	LED Light	1	20	1	0.02
	Ceiling Fan	2	75	2	0.3
Zoology Dept Museum	LED Lights	1	20	3	0.06
	Tube Lights	4	40	2	0.32
Zoology	Tube Lights	2	40	2	0.16
Staffroom	LED Lights	2	20	2	0.08
Zoology	Tube Light	3	40	2	0.24
Head room	Ceiling Fan	1	75	2	0.15
Zoology –	Tube Lights	26	. 40	1	1.04
Inter Lab	Ceiling Fans	6	75	1	0.45
	Tube Lights	24	40	1	0.96
Zoology – Degree Lab	LED Lights	3	20	2	0.12
Degree Bas	LCD Projector	1	100	1	0.1

I	lm .	ı	I.	r .	ı
	Tube Lights	13	40	1	0.52
Room no 24	LED Lights	1	20	2	0.04
	Ceiling Fans	4	75	2	0.6
	Ceiling Fans	12	75	2	1.8
P.G. Zoology	Stand Fan	1	75	1	0.075
	Tube Lights	20	40	2	1.6
	Fridge	1	167	1	0.167
B.Com Staff	Ceiling Fans	2	75	2	0.3
room	Tube Lights	2	40	2	0.16
	Ceiling Fans	11	75	2	1.65
	LED Lights	8	20	2	0.32
Seminar Hall	Tube Lights	16	40	2	1.28
	Air Condition er	6	1500	0.2	1.8
M.Com (Ceiling Fans	4	75	2	0.6
Final Class room)	Tube lights	4	40	2	0.32
M.Com 1st	Ceiling Fan	4	75	3	0.9
Year Classroom	Tube Lights	4	40	2	0.32
M.Com Staffroom	Ceiling Fans	2	75	3	0.45

	Tube lights	2	40	3	0.24
Moths Dont	LED lights	6	20	3	0.36
Maths Dept Staffroom	Ceiling Fans	2	75	3	0.45
	Fridge	1	167	2	0.334
	Tube lights	2	40	5	0.4
Maths	LED light	1	20	5	0.1
Headroom	Ceiling Fans	3	75	5	1.125
	Printers	2	250	0.5	0.25
Maths Headroom	Desktop Computer	1	150	3	0.45
Treadroom	Xerox Machine	1	250	0.5	0.125
Chemistry	Tube lights	.28	40	2	2.24
Dept Lab – 1	Ceiling Fans	4	75	2	0.6
	LED lights	4	20	1	0.08
Chamiatan	Tube lights	4	40	1	0.16
Chemistry Storeroom	LCD projector	. 1	100	1	0.1
	Ceiling Fans	6	75	1	0.45

.

Chemistry	Tube Lights	8	40	3	0.96
Seminar Hall	Ceiling Fan	4	75	3	0.9
	Tube Lights	3	40	3	0.36
Chemistry Corridor	LED Lights	2	20	3	0.12
	Ceiling Fan	2	75	3	0.45
Chemistry	LED Lights	2	20	3	0.12
Headroom	Ceiling Fans	2	75	3	0.45
Chemistry	Tube Light	16	40	3	1.92
Lab – 3	Ceiling Fan	1	75	2	0.15
Chemistry	Tube Lights	6	40	2	0.48
Physical Lab	Ceiling Fan	, 2	75	2	0.3
Chemistry	Tube Lights	5	40	2	0.4
Lab – 2	Stand Fan	2	75	2	0.3
Chemistry	Tube Lights	2	40	2	0.16
P.G. Head	Ceiling Fan	1	75	2	0.15
Chemistry Ladies Staffroom	LED Lights	2	20	3	0.12
	Ceiling Fans	2	75	3	0.45
Physics Lab – 1	Ceiling Fans	12	75	3	2.7

	Tube Lights	44	40	3	5.28
	LED Lights	3	20	3	0.18
	LCD projector	1	100	1	0.1
Physics Lab	Ceiling Fan	8	75	5	3
- 2	Tube Lights	23	40	5	4.6
	Window A.C	2	1000	0.1	0.2
Physics Computer Lab	Desktop Computer	20	150	2	6
	Stand Fan	1	75	2	0.15
	Fridge	1	167	1	0.157
Physical Education	LED Lights	2	20	3	0.12
	Ceiling Fan	5	75	3	1.125
	Tube Lights	4	40	3	0.48
Telugu Department	Ceiling Fan	3	75	3	0.675
	Tube Lights	2	40	3	0.24
History Department	Ceiling Fan	2	75	3	0.45
	Tube Lights	2	40	3	0.24
Political Science Dept	Ceiling Fan	3	75	3	0.675

	Tube Lights	4	40	3	0.48
Scholarship	Tube Lights	4	40	3	0.48
	Ceiling Fan	2	75	3	0.45
Economics Department	Ceiling Fan	2	75	3	0.45
	Tube Light	2	40	3	0.24
Total Electricity Consumptio n					159.2⊌4

The above calculated average consumption of electrical energy units per day were approximately coincided with average daily consumption units of electrical energy as per invoice issued by the power supply authorities.

6. CONCLUSION AND RECOMMENDATIONS

Energy audit was conducted on the Andhra Christian College, Guntur district campus during the period from 8-12-2022 to 16-12 2022 for a period of two days. In the energy audit conducted at Andhra Christian College, Guntur, Guntur district, following conclusions were reached.

- > It is observed that there are many fluorescent and CFL tube lights in use which must be replaced with LED tube light to save a lot of energy
- > It was found that fans consume the most electricity. Many old fans of over 20 years standing were identified. The continuous use of ceiling

fans for more than 5 hours also contributes significantly to the high cost of electricity. Old fans should also be checked and replaced for significant reduction in energy consumption. Instead of conventional

fans, BLDC fans could be used for reduced consumption.

Outdoor energy consumption can be significantly reduced by using solar

lights in all areas of the college.

Solar Power units installed in the campus must be fully used and if

necessary new solar power units must be installed to make the campus

eco-friendly.

> High energy consuming devices like A.Cs, computers, fridges, printers

should be used efficiently as and when required.

Guntur,

Dt. 11-01-2023

ASSISTANT ENGINEER
OPERATION :: A.P.C.P.D.C.

D3 SECTION : GUNTH

"Ye shall know the truth and the truth shall set you free".... St. John 8:32

Andhra Christian College, Guntur

(DAY, EVENING & P.G.) Accredited with 'A' Grade by NAAC

Dr. K. Moses M.Sc., M.Ed., Ph.D

PRINCIPAL



Estd. 1885

GUNTUR - 522 001 Andhra Pradesh accollegeguntur@ymail.com

Cell: 9848183194 Office: 0863-2322046

GREEN AUDIT / ENIRONMENTAL AUDIT - [2022-2023]

The objective of this Green Audit / Environmental Audit is to assess the current state of biodiversity and green cover in the college and to suggest ways to enhance it. The students used transect and quadrant methods to identify the different types of flora and fauna in the college. This audit also helps the students in gaining knowledge about the richness of nature through identifying the organisms. The staff and students made several surveys to asses both the quantitative and qualitative aspects. The survey indicates high biodiversity of plants and limited number of animal species. It is propose to increase the number of plant and animal species to make college look more ecofriendly.

PURPOSE

· To conduct a Biodiversity Audit on A.C College, Guntur campus and suggest measures for the improvement

AIMS

- To identify the different types of plants and animals on the college campus
- · Students through participating in this audit will not only identify the various species but also will be able to tabulate and analyze the data.
- To recommend ways to increase biodiversity on the college campus

PROCEDURE

A comprehensive survey of the flora and faunawas carried out on the college campus spread over an area of 20 acres. The study was carried outfrom 03-01-2022 and 06-01-2022. Twobatches of 10 students each of B.Sc., (CBZ) from A.C.College, Guntur, Guntur district were assigned to do the audit and they surveyed the entire area and identified the flora and fauna on the campus. Data wasscientifically recorded and tabulated.

S.No.	Scientific name of plant	Local Name	Family	Habitat T/S/H/C	Uses
1	Parthenium hysterophorus	Carrot grass	Asteraceae	Н	Medicinal
2	Acalypha indica	Indian mercury	Euphorbiaceae	Н	Medicinal
3	Sida acuta	Common wire weed	Malvaceae	Н	Medicinal
4	Boerhaavia diffusa	Punarnava	Nyctaginaceae	Н	Medicinal
5	Euphorbia hirta	Asthma weed	Euphobiaceae	Н	Medicinal
6	Cynodon dactylon	Bermuda grass	Poaceae	Н	Medicinal
7	Citrus aurantifolia	Key lime	Rutaceae	Т	Medicinal
8	Manilkara zapota	Sapota	Sapotaceae	Т	Edible Frui
9	Murraya koenigii	Curry leaves	Rutaceae	Т	Medicinal
10	Ziziphus zuzuba	Jujube	Rhamnaceae	S	Medicinal
11	Croton bonplandianum	Ban tulasi	Euphorbiaceae	Н	Medicinal
12	Vernonia cinerea	Purple fleabane	Asteraceae	Н	Medicinal
13	Tridax procumbens	Tridax daisy	Asteraceae	Н	Medicinal
14	Ruellia tuberosa	Cracker plant	Acanthaceae	Н	Medicinal
15	Ocimum sanctum	Tulasi	Lamiaceae	Н	Medicinal
16	Cocos nucifera	Coconut	Arecaceae	T	Medicina
17	Ixora chinensis	Scarlet jungle flame	Rubiaceae	S	Ornamenta
18	Abutilon indicum	Indian mallow	Malvaceae	S	Medicinal
19	Asparagus recemosus	Shatavari	Asparagaceae	S	Medicina
20	Polyalthia longifolia	Naramamidi	Annonaceae	Т	Ornamenta
21	Cicca distica	Chinni usiri	Euphorbiaceae	Т	Medicina
22	Cocos nucifera	Kobbari	Arecaceae	T	Edible
23	Albizia lebbeck	Dirisena	Mimosaceae	T	Ornamenta
24	Millingtonia hortensis	Akasa malli	Bignoniaceae	T	Ornamenta
25	Bauhinia variegata	Addaku	Fabaceae	Т	Ornamenta
26	Tabebuia rosea	Rosy trumpet	Bignonanceae	Т	Ornamenta
27	Casuarina equistifolia	Sarugudu	Casuarinaceae	Т	Fire wood
28	Borassus flabellifer	Thati	Areaceae	T	Toddy
29	Spathodia campanulata	Tulip tree	Bignoneaceae	T	Ornamenta
30	Syagrus romanzoffiana	Queen palm	Arecaseae	T	Ornamenta
31	Dalberzia sissoo	Indian Rose wood	Fabaceae	T	Ornamenta
32	Wrightia tinctoria	Tooth ache plant	Apocyanaceae	T	Medicinal
33	Vitex negundi	Chinese chaste tree	Lamiaceae	T	Medicinal
34	Tecoma stans	Golden bells	Bignoniuceae	T	Ornamenta
35	Rhaphidophora tetrasperma	Mini monstera	Araceae	C	Ornamental

36	Azadirachta indica	Neem tree	Meliaceae	Т	Medicinal & Timber
37	Bamboosa aridinarifolia	Bamboo	Poaceae	Т	Timber
38	Pongamia pinnata	Kanuga	Fabaceae	T	Medicinal
39	Ceodea grandis	Lettuce tree	Nyctaginaceae	T	Medicinal
40	Psidium guajava	Jama	Myrtaceae	Т	Edible fruit
41	Cycas revoluta	Sago palm	Cycadaceae	T	Medicinal
42	Pritchardia pacifica	Fiji Fan Palm	Arecaceae	T	Ornamental
43	Bougainvillea spectabilis	Kagithapu puvuu	Nyctaginaceae	S	Ornamental
44	Ceiba pentandra	Booruga	Malvaceae	T	Economic
45	Dypsis lutescens	Areca palm	Arecaceae	T	Ornamental
46	Trichilia dregeana	Forest Mahogany	Meliaceae	Т	Timber
47	Mangifera indica	Mango	Anacardaceac	Т	Fruit
48	Leucaena leucocephala	Lead Tree	Fabaceae	Т	Economic
49	Thuja orientails	Chinese thuja	Cupressaceae	Т	Medicinal
50	Syzygium cumini	Kala jamoon	Myrtaceae	Т	Edible
51	Ixora chinensis	Nooru varahalu	Rubiaceae	S	Ornamental
52	Licuala grandis	Palasa palm	Arecaceae	Т	Ornamental
53	Delonix regia	Gold mohar /Turai	Fabaceae	T	Ornamental
54	Yucca gloriosa	Nabhi	Asparagaceae	S	Ornamental
55	Hibiscus rosasinensis	Mandara	Malvaceae	S	Ornamental
56	Syzygium jambos	Rose apple	Myrtaceae	T	Ornamental
57	Citrus aurantiifolia	orange	Rutaceae	T	Edible fruit
58	Adenium obesum	Desert rose	Apocynaceae	S	Ornamental
59	Catheranthus roseus	Billa ganneru	Apocynaceae	Н	Medicinal
60	Tradescantia spathacea	Boat lilly	Commelinaceae	Н	Ornamental
61	Chrysanthemum indicum	Chemanthi	Asteraceae	Н	Ornamental
62	Agave americana	Kalabanda	Asparagaceae	Н	Medicinal
63	Murraya paniculata	Curry leaf	Rutaceae	T	Condiment
64	Allamanda cathartica	Butter cup	Apocyanaceae	S	Ornamental
65	Jasminum sambac	Malle puvvu	Oleaceae	S	Ornamental
66	Citrus lemon	Nimbu/ Nimma	Rutaceae	T	Medicinal
67	Bryophyllum pinnata	Ranapala	Crassulaceae	Н	Ornamental
68	Euphorbia hirta	Mexican plant	Euphorbiaceae	Н	Medicinal
69	Ficus retusa	Peddajuvvi	Moraceae	T	Timber
70	Costus spiralis	Crepe ginger	Costaceae	Н	Medicinal
71	Coleus barbatus	Gandh Moolika	Lamiaceae	Н	Ornamental
72	Aloe vera	Kalabanda	Asphodelaceae	<u>S</u>	Medicinal
73	Andrographis paniculata	Nela vemu	Acanthaceae	H	Medicinal
74	Artemisia annua	Machipatri	Asteraceae	Н	Medicinal

75	Centella asiatica	Saraswathi aaku	Apiaceae	Н	Medicinal
76	Withania somnifera	aswagandha	Solanaceae	Н	Medicinal
77	Rauvolfia serpentina	Sarpagandha	Apocyanaceae	S	Medicinal
78	Acorus calamus	Vasa	Acoraceae	Н	Medicinal
79	Ruta graveolens	Sadapaku	Rutaceae	Н	Medicinal
80	Cassia alata	Seema tangedu	Caesalpinoideae	S	Medicinal
81	Gymnema sylvestris	Podapatri	Apocyanaceae	Н	Medicinal
82	Plumbago zeylanica	Chitrak	Plumbaginaceae	Н	Medicinal
83	Psoralea corylifolia	Bavanchalu	Fabaceae	Н	Medicinal
84	Evolvulus alsinoides	Vishnukranthi	Acathaceae	Н	Medicinal
85	Adathoda vasica	addasaram	Acanthaceae	Н	Medicinal
86	Uraria picta	Prishni parni	Fabaceae	Н	Medicinal

DISCUSSION

The environmental audit conducted by the college for the year 2022-23 revealed the existence of many species of plants on the campus. Out of the plant species the trees outnumber the herbs and shrubs. Many flowering and Medicinal plants are seen to flourish in the campus. The college management has taken an active role in increasing the greenery on the campus. However there is scope for adding more plants as the college is huge and sprawling. By increasing the greenery of the college not only more animals are attracted to the trees for the shelter but also lead to increase in biodiversity and maintain the ecological balance.

CONCLUSIONS AND RECOMMENDATIONS

This Green/Environmental Audit was completed as per the schedule and the data collected was systematically tabulated and analyzed in the above table. This audit helped very much to improve the knowledge, awareness and skills of students in conserving biodiversity.

GREEN AUDIT CERTIFICATE

This is to certify that the staff of the Government Degree College for Women (A) and students and faculty of Andhra Christian College have conducted the green audit 05-01-2022 to 08-01-2022 for the academic year 2022-23 to assess the green initiative planning efforts and activities implemented on the college campus like plantation, biodiversity preservation and creating environmental awareness. The green audit proved that the campus is eco-friendly.

Place: Guntur

Date: 10-01-2022.

External Auditors:

M. SANTOSH KUMARI, M.Sc., B.Ed. 1. GOVT. COLLEGE FOR WOMEN (A)

GUNTUR-522 001.

2.

Co-Ordinator IOAC

GUNTUR.

Andhra Christian College,

3.

Principal

Prof. K. MALLIKARJUNA HEAD Department of Botany and Microbiology

Acharya Nagarjuna University Nagarjuna Nagar - 522 510.

Andhra Christian College,

GUNTUR.